

Administrator,
Biolog Gianina Barbuta

BULETIN DE ANALIZA - TEST REPORT

Nr: 7760 Data emiterii: 15.03.2026



| | | | | |
|---|---|---|---|---|
| Client/Adresa Client/Address | SC OCEANUL INDIAN SRL Str. Elena Vacaescu nr.74, Bl.XXI 2, Ap.1, Parter, Cam.2, Bucuresti, Sector 1 | | | |
| Beneficiar/Adresa Beneficiary/Address | SC OCEANUL INDIAN SRL-PL 2 LICEUL FRANCEZ Bucuresti-Ploiesti, nr. 160A, Sector 1, Bucuresti | | | |
| Tipul probei Sample type | Preparate culinare gata de consum | | | |
| Denumire proba Sample name | Cantitate Quantity | Lot Batch | Data fabricatie Manufacture date | Data expirare Expiration date |
| MAZARE CU PUI | 5x360 g | - | 12.03.2026 | 13.03.2026 |
| Descriere proba Sample description | Formatul probei/ ambalaj/ descriere/ prezentare produs/ Appearance: Caserola carton etichetata corespunzator. Furnizor / Producer: Produs in / Produced in: - EAN: - Sigiliu /Seal: - Stampila sanitara / Sanitary stamp: - | | | |
| Analize solicitate Required analysis | Microbiologie Microbiology | Fizico-chimie Physico-chemistry | Examen organoleptic Sensory examination | Subcontractare Subcontracted analysis |
| | Listeria monocytogenes | - | - | - |
| Recoltare probe Sampling | Data/Date: - Locatie/Location: Beneficiar Responsabil/Responsible: Beneficiar Temperatura/Temperature: - (°C) | | | |
| Receptie probe Sample receiving | Data/Date: 12.03.2026 Temperatura/Temperature: 3.30 (°C) | | | |
| Comanda analize Demand analysis | Nr.: -/12.03.2026 | | | |
| Alte informatii Other information | Contextul prelevării: produs introdus pe piata. | | | |

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.

Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

EXAMEN MICROBIOLOGIC / MICROBIOLOGICAL EXAMINATION :

| Parametru (LOD/LOQ) Parameter (LOD/LOQ) | Esantion Sample | Rezultat Result | U.M. | Metoda de analiza Analysis method | Valori admise Permissible values | | Legislatie aplicabila Applicable legislation | Perioada analizare Testing period |
|--|--------------------|--------------------|---------|--------------------------------------|--|-----|---|---|
| | | | | | m | M | | |
| Listeria monocytogenes | A - 1 | < 10 | ufc / g | SR EN ISO 11290-2:2017 | - | 100 | Reg. (CE) 2073/2005 cu modif. si completarile ulterioare (3); (n=5, c=0). | 13.03.2026 - 15.03.2026 |
| | B - 2 | < 10 | | | | | | |
| | C - 3 | < 10 | | | | | | |
| | D - 4 | < 10 | | | | | | |
| | E - 5 | < 10 | | | | | | |

Abrevieri, simboluri / Abbreviations, symbols:

| | |
|--------|--|
| U.M | unitate de masura / unit |
| m | limita minima / minimum limit |
| M | limita maxima / maximum limit |
| n | numarul de esantioane care constituie proba / number of units comprising the sample.(conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg.(CE) nr.2073/2005 and Ord . 27/2011 with subsequent amendments) |
| c | numarul de esantioane care pot avea valori intre m si M / the number of samples that can be set between m and M (conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg . (CE) nr.2073 / 2005 and Ord . 27/2011 with subsequent amendments) |
| LOD | limita de detectie / detection limit |
| LOQ | limita de cuantificare / quatification limit |
| Ma log | media aritmetica logaritmica zilnica / daily arithmetical logarithmic average |
| EAN | numar european de articol / european article number |

Observatii/ Notes

- ◆ 1) Analize neacoperite de acreditarea RENAR (conform ISO 17025) . Pentru detalii suplimentare, solicitati certificatul de acreditare la adresa de email „office@unilab.ro” . / Analyses uncovered by RENAR accreditation. For more details, ask for accreditation certificate at email address „office@unilab.ro”
- ◆ 2) Limite aplicabile la sfarsitul procesului de fabricatie/tehnologic / Applicable limits at the end of the production process / technology .
- ◆ 3) Limite aplicabile pentru produse introduse pe piata in timpul perioadei de conservare/Applicable limits to products placed on the market, during shelflife.
- ◆ 4) Limite aplicabile pentru produse prelevate in timpul procesului de fabricatie/tehnologic./ Applicable limits to products taken during the production process / technology .
- ◆ 5) Limite aplicabile inainte ca produsul sa fi iesit de sub controlul producatorului. / Applicable limits before the product has left the manufacturer's control.
- ◆ 6) Limite aplicabile pentru carcase dupa preparare, dar inainte de refrigerare. / Applicable limits to carcasses after preparation, but before refrigeration.
- ◆ 7) Limite aplicabile pentru carcase dupa refrigerare./ Applicable limits to carcasses before refrigeration.
- ◆ 8) Pentru a putea determina valori mai mici de 10 ufc/g s-a utilizat un volum de diluant mai mic (20 ml diluant/10g produs) / To determine values below 10 cfu / g it was used a lower diluent volume (20 ml diluent / 10 g product).
- ◆ 9) Concluziile si interpretarile continute de prezentul buletin de analiza nu sunt acoperite de acreditarea RENAR / Conclusions and interpretations contained in this test report are not covered by RENAR accreditation.
- ◆ 10) Analiza efectuata cu aparat prevazut cu dispozitiv de compensare a temperaturii la 20°C. / Analysis performed with equipment provided with a temperature compensation device at 20°C.
- ◆ Rezultatele si interpretarile analizelor se refera strict la proba testata / The results and interpretations refers only to the tested sample.
- ◆ Analizele au fost efectuate conform standardelor nationale si internationale in vigoare. / Analysis were carried out according to national and international standards.
- ◆ Prezentul buletin de analiza a fost emis intr-un singur exemplar original, pentru beneficiar, copia acestuia – conform cu originalul-fiind pastrata la sediul laboratorului./ This test report was issued in a single original exemplary, its copy - according to the original – being preserved in laboratory premises.
- ◆ Numarul buletinului de analiza coincide cu numarul de inregistrare al probei in Registrul de Primire Probe (RPP). / The test report number correspond with the sample registration number in the Receipt Samples Register (RPP).
- ◆ Operatiunea de prelevare a probei nu face obiectul activitatii laboratorului, aceasta responsabilitate revenind beneficiarului. /The sampling operation is not subject to the laboratory's activity, this responsibility resting to the beneficiary.
- ◆ Laboratorul Unilab nu isi asuma raspunderea pentru diferentele calitative existente intre proba analizata si produsele comercializate de beneficiar. / Unilab laboratory assumes no liability for existing qualitative differences between the analyzed sample and the products sold by the beneficiary.
- ◆ Factorul de extindere pentru incertitudinea de masurare declarata este k=2, la un nivel de incredere de 95%. / The extension factor for the declared measurement uncertainty is k = 2, at 95% confidence level.
- ◆ In prezentul document sunt utilizate semnaturi olografe electronice / In this document are used electronic holographic signatures.

Analisti / Analysts,

Ing. ind. alim. Iustina Stoica

Ing. ind. alim. Joiman Luminita

Sef laborator / Laboratory chief,
Loctiitor sef lab., Biolog Gianina
BarbutaAnalist calitate / Quality analyst,
Ioana Costache

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.

Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

Administrator,
Biolog Gianina Barbuta

BULETIN DE ANALIZA - TEST REPORT

Nr: 7761 Data emiterii: 15.03.2026



| | | | | |
|---|---|---|---|---|
| Client/Adresa Client/Address | SC OCEANUL INDIAN SRL Str. Elena Vacarescu nr.74, Bl.XXI 2, Ap.1, Parter, Cam.2, Bucuresti, Sector 1 | | | |
| Beneficiar/Adresa Beneficiary/Address | SC OCEANUL INDIAN SRL-PL 2 LICEUL FRANCEZ Bucuresti-Ploiesti, nr. 160A, Sector 1, Bucuresti | | | |
| Tipul probei Sample type | Apa potabila / Apa utilizata in fluxul tehnologic | | | |
| Denumire proba Sample name | Cantitate Quantity | Lot Batch | Data fabricatie Manufacture date | Data expirare Expiration date |
| APA RETEA BUCATARIE | 2x170 ml | - | - | - |
| Descriere proba Sample description | Formatul probei/ ambalaj/ descriere/ prezentare produs/ Appearance: Container recoltare probe steril etichetat corespunzator. Furnizor / Producer: Produs in / Produced in: - EAN: - Sigiliu /Seal: - Stampila sanitara / Sanitary stamp: - | | | |
| Analize solicitate Required analysis | Microbiologie Microbiology | Fizico-chimie Physico-chemistry | Examen organoleptic Sensory examination | Subcontractare Subcontracted analysis |
| | Bacterii coliforme, Enterococi intestinali, Escherichia coli | - | - | - |
| Recoltare probe Sampling | Data/Date: - Locatie/Location: Beneficiar Responsabil/Responsible: Beneficiar Temperatura/Temperature: - (°C) | | | |
| Receptie probe Sample receiving | Data/Date: 12.03.2026 Temperatura/Temperature: 3.40 (°C) | | | |
| Comanda analize Demand analysis | Nr.: -/12.03.2026 | | | |
| Alte informatii Other information | - | | | |

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.

Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

EXAMEN MICROBIOLOGIC / MICROBIOLOGICAL EXAMINATION :

| Parametru (LOD/LOQ) Parameter (LOD/LOQ) | Esantion Sample | Rezultat Result | U.M. | Metoda de analiza Analysis method | Valori admise Permissible values | | Legislatie aplicabila Applicable legislation | Perioada analizare Testing period |
|--|-----------------|-----------------|--------------|--|----------------------------------|---|--|-----------------------------------|
| | | | | | m | M | | |
| Bacterii coliforme | A - 1 | < 1 | ufc / 100 ml | SR EN ISO 9308-1:2015 ; SR EN ISO 9308-1:2015 /A1:2017 | - | 0 | Ordonanta nr. 7/2023 cu modif. si completarile ulterioare. | 13.03.2026 - 14.03.2026 |
| Enterococi intestinali | A - 1 | < 1 | ufc / 100 ml | SR EN ISO 7899-2:2002 | - | 0 | Ordonanta nr. 7/2023 cu modif. si completarile ulterioare. | 13.03.2026 - 15.03.2026 |
| Escherichia coli | A - 1 | < 1 | ufc / 100 ml | SR EN ISO 9308-1:2015; SR EN ISO 9308-1:2015/A1:2017 | - | 0 | Ordonanta nr. 7/2023 cu modif. si completarile ulterioare. | 13.03.2026 - 14.03.2026 |

Abrevieri, simboluri / Abbreviations, symbols:

| | |
|--------|--|
| U.M | unitate de masura / unit |
| m | limita minima / minimum limit |
| M | limita maxima / maximum limit |
| n | numarul de esantioane care constituie proba / number of units comprising the sample.(conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg.(CE) nr.2073/2005 and Ord . 27/2011 with subsequent amendments) |
| c | numarul de esantioane care pot avea valori intre m si M / the number of samples that can be set between m and M (conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg . (CE) nr.2073 / 2005 and Ord . 27/2011 with subsequent amendments) |
| LOD | limita de detectie / detection limit |
| LOQ | limita de cuantificare / quantification limit |
| Ma log | media aritmetica logaritmica zilnica / daily arithmetical logarithmic average |
| EAN | numar european de articol / european article number |

Observatii/ Notes

- ◆ 1) Analize neacoperite de acreditarea RENAR (conform ISO 17025) . Pentru detalii suplimentare, solicitati certificatul de acreditare la adresa de email „office@unilab.ro” . / Analyses uncovered by RENAR accreditation. For more details, ask for accreditation certificate at email address „office@unilab.ro”
- ◆ 2) Limite aplicabile la sfarsitul procesului de fabricatie/tehnologic / Applicable limits at the end of the production process / technology .
- ◆ 3) Limite aplicabile pentru produse introduse pe piata in timpul perioadei de conservare/Applicable limits to products placed on the market, during shelflife.
- ◆ 4) Limite aplicabile pentru produse prelevate in timpul procesului de fabricatie/tehnologic./ Applicable limits to products taken during the production process / technology .
- ◆ 5) Limite aplicabile inainte ca produsul sa fi iesit de sub controlul producatorului. / Applicable limits before the product has left the manufacturer's control.
- ◆ 6) Limite aplicabile pentru carcase dupa preparare, dar inainte de refrigerare. / Applicable limits to carcasses after preparation, but before refrigeration.
- ◆ 7) Limite aplicabile pentru carcase dupa refrigerare./ Applicable limits to carcasses before refrigeration.
- ◆ 8) Pentru a putea determina valori mai mici de 10 ufc/g s-a utilizat un volum de diluant mai mic (20 ml diluant/10g produs) / To determine values below 10 cfu / g it was used a lower diluent volume (20 ml diluent / 10 g product).
- ◆ 9) Concluziile si interpretarile continute de prezentul buletin de analiza nu sunt acoperite de acreditarea RENAR / Conclusions and interpretations contained in this test report are not covered by RENAR accreditation.
- ◆ 10) Analiza efectuata cu aparat prevazut cu dispozitiv de compensare a temperaturii la 20°C. / Analysis performed with equipment provided with a temperature compensation device at 20°C.
- ◆ Rezultatele si interpretarile analizelor se refera strict la proba testata / The results and interpretations refers only to the tested sample.
- ◆ Analizele au fost efectuate conform standardelor nationale si internationale in vigoare. / Analysis were carried out according to national and international standards.
- ◆ Prezentul buletin de analiza a fost emis intr-un singur exemplar original, pentru beneficiar, copia acestuia – conform cu originalul-fiind pastrata la sediul laboratorului./ This test report was issued in a single original exemplary, its copy - according to the original – being preserved in laboratory premises.
- ◆ Numarul buletinului de analiza coincide cu numarul de inregistrare al probei in Registrul de Primire Probe (RPP) . / The test report number correspond with the sample registration number in the Receipt Samples Register (RPP) .
- ◆ Operatiunea de prelevare a probelor nu face obiectul activitatii laboratorului, aceasta responsabilitate revenind beneficiarului. /The sampling operation is not subject to the laboratory's activity, this responsibility resting to the beneficiary.
- ◆ Laboratorul Unilab nu isi asuma raspunderea pentru diferentele calitative existente intre proba analizata si produsele comercializate de beneficiar. / Unilab laboratory assumes no liability for existing qualitative differences between the analyzed sample and the products sold by the beneficiary.
- ◆ Factorul de extindere pentru incertitudinea de masurare declarata este k=2, la un nivel de incredere de 95%. / The extension factor for the declared measurement uncertainty is k = 2, at 95% confidence level.
- ◆ In prezentul document sunt utilizate semnaturi olografe electronice / In this document are used electronic holographic signatures.

Analisti / Analysts,

Ing. ind. alim. Iustina Stoica

Teh. laborant Ionica Ungureanu

Sef laborator / Laboratory chief,
Loctiitor sef lab., Biolog Gianina
BarbutaAnalist calitate / Quality analyst,
Ioana Costache

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.

Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

Administrator,
Biolog Gianina Barbuta

BULETIN DE ANALIZA - TEST REPORT

Nr: 7762 Data emiterii: 17.03.2026



| | | | | |
|---|--|---|---|---|
| Client/Adresa Client/Address | SC OCEANUL INDIAN SRL Str. Elena Vacarescu nr.74, Bl.XXI 2, Ap.1, Parter, Cam.2, Bucuresti, Sector 1 | | | |
| Beneficiar/Adresa Beneficiary/Address | SC OCEANUL INDIAN SRL-PL 2 LICEUL FRANCEZ Bucuresti-Ploiesti, nr. 160A, Sector 1, Bucuresti | | | |
| Tipul probei Sample type | Test sanatate maini | | | |
| Denumire proba Sample name | Cantitate Quantity | Lot Batch | Data fabricatie Manufacture date | Data expirare Expiration date |
| TS-MAINI ANGAJAT POPESCU GABRIELA | 2 buc. | - | - | - |
| Descriere proba Sample description | Formatul probei/ ambalaj/ descriere/ prezentare produs/ Appearance: Tub prelevare etichetat corespunzator. Furnizor / Producer: Produs in / Produced in: - EAN: - Sigiliu /Seal: - Stampila sanitara / Sanitary stamp: - | | | |
| Analize solicitate Required analysis | Microbiologie Microbiology | Fizico-chimie Physico-chemistry | Examen organoleptic Sensory examination | Subcontractare Subcontracted analysis |
| | Enterobacteriaceae, Staphilococ coagulazo- pozitiv | - | - | - |
| Recoltare probe Sampling | Data/Date: - Locatie/Location: Beneficiar Responsabil/Responsible: Beneficiar Temperatura/Temperature: - (°C) | | | |
| Receptie probe Sample receiving | Data/Date: 12.03.2026 Temperatura/Temperature: 3.10 (°C) | | | |
| Comanda analize Demand analysis | Nr.: -/12.03.2026 | | | |
| Alte informatii Other information | - | | | |

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.

Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

EXAMEN MICROBIOLOGIC / MICROBIOLOGICAL EXAMINATION :

| Parametru (LOD/LOQ) Parameter (LOD/LOQ) | Esantion Sample | Rezultat Result | U.M. | Metoda de analiza Analysis method | Valori admise Permissible values | | Legislatie aplicabila Applicable legislation | Perioada analizare Testing period |
|--|-----------------|------------------|------------------|--|----------------------------------|--------|--|-----------------------------------|
| | | | | | m | M | | |
| Enterobacteriaceae (LOD=0,5 ufc/100 cmp) | A - 1 | Nedetctat (<LOD) | ufc/tub prelevat | SR EN ISO 21528-1:2017 | - | Absent | Ord. 976/1998 | 13.03.2026 - 15.03.2026 |
| Staphilococ coagulazo-pozitiv | A - 1 | Absent | ufc/tub prelevat | SR EN ISO 6888-3:2003; SR EN ISO 6888-3:2003/AC:2011 | - | Absent | Ord. 976/1998 | 13.03.2026 - 17.03.2026 |

Abrevieri, simboluri / Abbreviations, symbols:

| | |
|--------|--|
| U.M | unitate de masura / unit |
| m | limita minima / minimum limit |
| M | limita maxima / maximum limit |
| n | numarul de esantioane care constituie proba / number of units comprising the sample.(conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg.(CE) nr.2073/2005 and Ord . 27/2011 with subsequent amendments) |
| c | numarul de esantioane care pot avea valori intre m si M / the number of samples that can be set between m and M (conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg . (CE) nr.2073 / 2005 and Ord . 27/2011 with subsequent amendments) |
| LOD | limita de detectie / detection limit |
| LOQ | limita de cuantificare / quatification limit |
| Ma log | media aritmetica logaritmica zilnica / daily arithmetical logarithmic average |
| EAN | numar european de articol / european article number |

Observatii/ Notes

- ◆ 1) Analize neacoperite de acreditarea RENAR (conform ISO 17025) . Pentru detalii suplimentare, solicitati certificatul de acreditare la adresa de email „office@unilab.ro” . / Analyses uncovered by RENAR accreditation. For more details, ask for accreditation certificate at email adress „office@unilab.ro”
- ◆ 2) Limite aplicabile la sfarsitul procesului de fabricatie/tehnologic / Applicable limits at the end of the production process / technology .
- ◆ 3) Limite aplicabile pentru produse introduse pe piata in timpul perioadei de conservare/Applicable limits to products placed on the market, during shelflife.
- ◆ 4) Limite aplicabile pentru produse prelevate in timpul procesului de fabricatie/tehnologic./ Applicable limits to products takenmduring the production process / technology .
- ◆ 5) Limite aplicabile inainte ca produsul sa fi iesit de sub controlul producatorului. / Applicable limits before the product has left the manufacturer's control.
- ◆ 6) Limite aplicabile pentru carcase dupa preparare, dar inainte de refrigerare. / Applicable limits to carcasses after preparation, but before refrigeration.
- ◆ 7) Limite aplicabile pentru carcase dupa refrigerare./ Applicable limits to carcasses before refrigeration.
- ◆ 8) Pentru a putea determina valori mai mici de 10 ufc/g s-a utilizat un volum de diluant mai mic (20 ml diluant/10g produs) / To determine values below10 cfu / g it was used a lower diluent volume (20 ml diluent / 10 g product).
- ◆ 9) Concluziile si interpretarile continute de prezentul buletin de analiza nu sunt acoperite de acreditarea RENAR / Conclusions and interpretations contained in this test report are not covered by RENAR accreditation.
- ◆ 10) Analiza efectuata cu aparat prevazut cu dispozitiv de compensare a temperaturii la 20°C. / Analysis performed with equipment provided with a temperature compensation device at 20°C.
- ◆ Rezultatele si interpretarile analizelor se refera strict la proba testata / The results and interpretations refers only to the tested sample.
- ◆ Analizele au fost efectuate conform standardelor nationale si internationale in vigoare. / Analysis were carried out according to national and international standards.
- ◆ Prezentul buletin de analiza a fost emis intr-un singur exemplar original, pentru beneficiar, copia acestuia – conform cu originalul-fiind pastrata la sediul laboratorului./ This test report was issued in a single original exemplary, its copy - according to the original – being preserved in laboratory premises.
- ◆ Numarul buletinului de analiza coincide cu numarul de inregistrare al probei in Registrul de Primire Probe (RPP) . / The test report number correspond with the sample registration number in the Receipt Samples Register (RPP) .
- ◆ Operatiunea de prelevare a probelor nu face obiectul activitatii laboratorului, aceasta responsabilitate revenind beneficiarului. /The sampling operation is not subject to the laboratory's activity, this responsibility resting to the beneficiary.
- ◆ Laboratorul Unilab nu isi asuma raspunderea pentru diferentele calitative existente intre proba analizata si produsele comercializate de beneficiar. / Unilab laboratory assumes no liability for existing qualitative differences between the analyzed sample and the products sold by the beneficiary.
- ◆ Factorul de extindere pentru incertitudinea de masurare declarata este k=2, la un nivel de incredere de 95%. / The extension factor for the declared mesurement uncertainty is k = 2, at 95% confidence level.
- ◆ In prezentul document sunt utilizate semnaturi olografe electronice / In this document are used electronic holographic signatures.

Analisti / Analysts,

Ing. ind. alim. Iustina Stoica

Ing. ind. alim. Joiman Luminita

Teh. lab. Dima Mihaela

Sef laborator / Laboratory chief,
Loctiitor sef lab., Biolog Gianina
BarbutaAnalist calitate / Quality analyst,
Ioana Costache

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.

Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

Administrator,
Biolog Gianina Barbuta

BULETIN DE ANALIZA - TEST REPORT

Nr: 7763 Data emiterii: 16.03.2026



| | | | | |
|---|--|---|---|---|
| Client/Adresa Client/Address | SC OCEANUL INDIAN SRL Str. Elena Vacaescu nr.74, Bl.XXI 2, Ap.1, Parter, Cam.2, Bucuresti, Sector 1 | | | |
| Beneficiar/Adresa Beneficiary/Address | SC OCEANUL INDIAN SRL-PL 2 LICEUL FRANCEZ Bucuresti-Ploiesti, nr. 160A, Sector 1, Bucuresti | | | |
| Tipul probei Sample type | Test sanatate suprafete | | | |
| Denumire proba Sample name | Cantitate Quantity | Lot Batch | Data fabricatie Manufacture date | Data expirare Expiration date |
| TS-MASA LUCRU | 1 buc. | 10x10 cmp | - | - |
| Descriere proba Sample description | Formatul probei/ ambalaj/ descriere/ prezentare produs/ Appearance: Tub prelevare etichetat corespunzator. Furnizor / Producer: Produs in / Produced in: - EAN: - Sigiliu /Seal: - Stampila sanitara / Sanitary stamp: - | | | |
| Analize solicitate Required analysis | Microbiologie Microbiology | Fizico-chimie Phisico-chemistry | Examen organoleptic Sensory examination | Subcontractare Subcontracted analysis |
| | Bacterii coliforme, Numar total de germeni | - | - | - |
| Recoltare probe Sampling | Data/Date: - Locatie/Location: Beneficiar Responsabil/Responsible: Beneficiar Temperatura/Temperature: - (°C) | | | |
| Receptie probe Sample receiving | Data/Date: 12.03.2026 Temperatura/Temperature: 3.00 (°C) | | | |
| Comanda analize Demand analysis | Nr.: -/12.03.2026 | | | |
| Alte informatii Other information | - | | | |

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.

Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.

EXAMEN MICROBIOLOGIC / MICROBIOLOGICAL EXAMINATION :

| Parametru (LOD/LOQ) Parameter (LOD/LOQ) | Esantion Sample | Rezultat Result | U.M. | Metoda de analiza Analysis method | Valori admise Permissible values | | Legislatie aplicabila Applicable legislation | Perioada analizare Testing period |
|--|--------------------|--------------------|-----------------|--------------------------------------|--|----------------|--|---|
| | | | | | m | M | | |
| Bacterii coliforme | A - 1 | Absent | ufc / 10 cmp | SR ISO 4831:2009 | - | Absent | Ord. 976/1998 | 13.03.2026 - 15.03.2026 |
| Numar total de germeni | A - 1 | < 1 /10 cmp | ufc / cmp | SR EN ISO 4833- 1:2014 | - | 2 ufc / cmp | Ord. 976/1998 (se accepta max. 20 ufc/cmp, daca B. coliforme sunt absente/10 cmp) | 13.03.2026 - 16.03.2026 |

Abrevieri, simboluri / Abbreviations, symbols:

| | |
|--------|--|
| U.M | unitate de masura / unit |
| m | limita minima / minimum limit |
| M | limita maxima / maximum limit |
| n | numarul de esantioane care constituie proba / number of units comprising the sample.(conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg.(CE) nr.2073/2005 and Ord . 27/2011 with subsequent amendments) |
| c | numarul de esantioane care pot avea valori intre m si M / the number of samples that can be set between m and M (conform Reg. (CE) nr.2073/2005 si Ord. 27/2011 cu modificarile si completarile ulterioare / according to Reg . (CE) nr.2073 / 2005 and Ord . 27/2011 with subsequent amendments) |
| LOD | limita de detectie / detection limit |
| LOQ | limita de cuantificare / quatification limit |
| Ma log | media aritmetica logaritmica zilnica / daily arithmetical logarithmic average |
| EAN | numar european de articol / european article number |

Observatii/ Notes

- ◆ 1) Analize neacoperite de acreditarea RENAR (conform ISO 17025) . Pentru detalii suplimentare, solicitati certificatul de acreditare la adresa de email „office@unilab.ro” . / Analyses uncovered by RENAR accreditation. For more details, ask for accreditation certificate at email adress „office@unilab.ro”
- ◆ 2) Limite aplicabile la sfarsitul procesului de fabricatie/tehnologic / Applicable limits at the end of the production process / technology .
- ◆ 3) Limite aplicabile pentru produse introduse pe piata in timpul perioadei de conservare/Applicable limits to products placed on the market, during shelflife.
- ◆ 4) Limite aplicabile pentru produse prelevate in timpul procesului de fabricatie/tehnologic./ Applicable limits to products takenmduring the production process / technology .
- ◆ 5) Limite aplicabile inainte ca produsul sa fi iesit de sub controlul producatorului. / Applicable limits before the product has left the manufacturer's control.
- ◆ 6) Limite aplicabile pentru carcasa dupa preparare, dar inainte de refrigerare. / Applicable limits to carcasses after preparation, but before refrigeration.
- ◆ 7) Limite aplicabile pentru carcasa dupa refrigerare./ Applicable limits to carcasses before refrigeration.
- ◆ 8) Pentru a putea determina valori mai mici de 10 ufc/g s-a utilizat un volum de diluant mai mic (20 ml diluant/10g produs) / To determine values below10 cfu / g it was used a lower diluent volume (20 ml diluent / 10 g product).
- ◆ 9) Concluziile si interpretarile continute de prezentul buletin de analiza nu sunt acoperite de acreditarea RENAR / Conclusions and interpretations contained in this test report are not covered by RENAR accreditation.
- ◆ 10) Analiza efectuata cu aparat prevazut cu dispozitiv de compensare a temperaturii la 20°C. / Analysis performed with equipment provided with a temperature compensation device at 20°C.
- ◆ Rezultatele si interpretarile analizelor se refera strict la proba testata / The results and interpretations refers only to the tested sample.
- ◆ Analizele au fost efectuate conform standardelor nationale si internationale in vigoare. / Analysis were carried out according to national and international standards.
- ◆ Prezentul buletin de analiza a fost emis intr-un singur exemplar original, pentru beneficiar, copia acestuia – conform cu originalul-fiind pastrata la sediul laboratorului./ This test report was issued in a single original exemplary, its copy - according to the original – being preserved in laboratory premises.
- ◆ Numarul buletinului de analiza coincide cu numarul de inregistrare al probei in Registrul de Primire Probe (RPP). / The test report number correspond with the sample registration number in the Receipt Samples Register (RPP).
- ◆ Operatiunea de prelevare a probelor nu face obiectul activitatii laboratorului, aceasta responsabilitate revenind beneficiarului. /The sampling operation is not subject to the laboratory's activity, this responsibility resting to the beneficiary.
- ◆ Laboratorul Unilab nu isi asuma raspunderea pentru diferentele calitative existente intre proba analizata si produsele comercializate de beneficiar. / Unilab laboratory assumes no liability for existing qualitative differences between the analyzed sample and the products sold by the beneficiary.
- ◆ Factorul de extindere pentru incertitudinea de masurare declarata este k=2, la un nivel de incredere de 95%. / The extension factor for the declared measurement uncertainty is k = 2, at 95% confidence level.
- ◆ In prezentul document sunt utilizate semnaturi olografe electronice / In this document are used electronic holographic signatures.

Analisti / Analysts,

Ing. ind. alim. Iustina Stoica

Ing. ind. alim. Joiman Luminita

Teh. lab. Dima Mihaela

Sef laborator / Laboratory chief,
Loctiitor sef lab., Biolog Gianina
BarbutaAnalist calitate / Quality analyst,
Ioana Costache

Nu este permisa reproducerea partiala a buletinului de analiza fara acordul SC Unilab SRL. Falsificarea acestui document se pedepseste in conformitate cu legislatia in vigoare.

Partial reproduction of test report without Unilab Ltd. agreement is forbidden. This document forgery is punishable in accordance with the law.